

Peli Cases

Rugged construction and thoughtful design combined with high quality materials to provide a case tested in the most demanding environments. A world famous name relied upon by Emergency Services, Military, Industry, TV Crews, sub sea divers, NATO etc. For TOTAL PROTECTION.

- 24 sizes
- Lifetime Guarantee (with the exception of Sharks, Bears and children under 5)
- Tough Copolymer Polypropylene construction
- Waterproof and dustproof, O-ring gasket sealed with pressure release valve (IP67 rated)
- Large handles, padlockable with secure and chunky catches
- Corrosion proof
- Airline handling approved (ATA 300)
- Military spec. Approved (MIL-C-4150-I)
- Wheels fitted as standard on large sizes
- Black, yellow, orange and silver (all cases in black, selected sizes in other colours)
- Temperature rating -23°C to +99°C
- Customised foam interiors
- "Pick-and-Pluck" foam set for easy conversion
- Adjustable padded divider system (selected sizes)
- Empty
- Panel mounting frame kit (selected sizes)
- Shoulder straps
- Engraved nameplates
- Document storage
- Combination padlock (option)




Peli 1620



Pick-and-Pluck foam set



Latch - secure, easy open



Combination padlock



Panel Frame kit to base
O-ring seal in lid

Peli Cases

	Int. Dimensions mm	Weight kg (empty)	Colour
1010	113 x 75 x 43	0.28	B, Bl, R, Y, C
1020	137 x 92 x 43	0.23	B, Bl, R, Y, C
1030	165 x 70 x 52	0.25	B, Bl, R, Y, C
1040	167 x 100 x 45	0.21	B, Bl, R, Y, C
1050	167 x 100 x 70	0.38	B, Bl, R, Y, C
1060	214 x 113 x 57	0.45	B, Bl, R, Y, C
i1010	iPod Case		
1120	187 x 123 x 79	0.6	B, O, Y
1150	215 x 150 x 95	0.8	B, O, Y
1200	240 x 185 x 110	1.2	B, O, Y, S
1300	240 x 185 x 155	1.5	B, O, Y, S
1400	305 x 235 x 130	2.0	B, O, Y, S
1430	358 x 158 x 285	2.62	B
1450	380 x 265 x 150	2.9	B, O, Y, S
1470	405 x 271 x 101	2.0	B
1490	460 x 298 x 113	2.5	B
1440 *	454 x 230 x 406		B
1500	435 x 290 x 155	3.7	B, O, Y, S
0340 *	455 x 455 x 405	13.0	B
1520	460 x 325 x 170	4.2	B, O, Y, S
1550	480 x 365 x 195	5.3	B, O, Y, S
1495	494 x 344 x 104		B
0350 **	508 x 508 x 470	11.0	B
1560 *	510 x 385 x 230	8.0	B
1510 *	515 x 290 x 193	5.9	B
1600	555 x 430 x 200	6.6	B, O, Y, S
1610 *	565 x 432 x 267	10.6	B
1620 *	565 x 435 x 320	11.3	B
1640	630 x 630 x 352		B
0370 **	610 x 610 x 570	14.5	B
1630 *	730 x 552 x 384		B
1650 *	736 x 457 x 266	12.3	B
1660 *	740 x 521 x 448	19.5	B
1690 *	786 x 659 x 382		B
1700 *	910 x 350 x 135	7.9	B
1720 *	1067 x 343 x 133	7.6	B
1780 *	1067 x 559 x 377		B
1750 *	1290 x 340 x 135	10.3	B

B=Black, Bl=Blue, R=Red, O=Orange, Y=Yellow, S=Silver, C=Clear
 Padded dividers to fit 1450, 1500, 1520, 1550, 1600, 1610, 1620, 1650, 1660
 Panel frame kits to fit 1150, 1200, 1300, 1400, 1450, 1500, 1520, 1550
 * = Wheels fitted as standard. ** = Wheels available as option.

Hofbauer (UK) Ltd
 St. Albans Road
 Empire Way
 Gloucester GL2 5FW
 Tel: +44 (0) 1452 30 97 82
 Fax: +44 (0) 1452 30 98 84

www.hofbauer.co.uk
 Email: cases@hofbauer.co.uk

 **hofbauer**
 The Case Company

Peli Cases

Accessories

99 99 11	Foam cutting knife	Retractable locking blade
1516	Peli Padlock	Brass, combination padlock
1508	Photographer's Lid Organiser	Fits 1500 & 1520. Size 395 x 320 mm
1509	Attache Lid Organiser	Fits 1500 & 1520. Size 395 x 320 mm
1609	Lid Organiser	Fits 1600, 1610, 1620
1659	Lid Organiser	Fits 1650
1669	Lid Organiser	Fits 1660
1000	Shoulder Strap	Shoulder strap. Fits all cases (except 1470/1490)
1472	Shoulder Strap	Shoulder strap. Fits 1470/1490
0377	Caster Wheel Set	Snap on wheels. Fits 0350/0370

All tools shown are for illustration purposes only and are not included.

Further information on special fittings and accessories on request.

The sizes, as given above, are maximum measurements. Interior measurements are taken in the floor of the case.

For technical reasons the specifications and colours may sometimes differ slightly from those printed in this document.

Hofbauer reserves the right to make changes in processes, colours and designs without prior notice.

Hofbauer (UK) Ltd
 St. Albans Road
 Empire Way
 Gloucester GL2 5FW
 Tel: +44 (0) 1452 30 97 82
 Fax: +44 (0) 1452 30 98 84

www.hofbauer.co.uk
 Email: cases@hofbauer.co.uk



hofbauer
 The Case Company